NIOSHÈ

Recommendations for Occupational Safety and Health

Compendium of Policy Documents and Statements



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Centers for Disease Control National Institute for Occupational Safety and Health



NIOSH RECOMMENDATIONS FOR OCCUPATIONAL SAFETY AND HEALTH

Compendium of Policy Documents and Statements

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Centers for Disease Control National Institute for Occupational Safety and Health Division of Standards Development and Technology Transfer Cincinnati, Ohio

January 1992

DISCLAIMER

Mention of the name of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health.

This document is in the public domain and may be freely copied or reprinted. Copies of this and other NIOSH documents are available from the following office:

> Publications Dissemination, DSDTT National Institute for Occupational Safety and Health 4676 Columbia Parkway Cincinnati, OH 45226 (513) 533-8287

For information about other occupational safety and health problems, call 1-800-35-NIOSH

DHHS (NIOSH) Publication No. 92-100

1

CONTENTS

Definitions of Abbreviations and Terms	iv
Acknowledgments	
Introduction	1
A. Documents Containing NIOSH Recommendations for Safety and Health	4
B. NIOSH RELs and General Recommendations for Safety and Health	45
Table 1. NIOSH recommended safety and health standards for	
hazardous agents in the workplace	46
Table 2. NIOSH recommended safety and health standards for	
physical hazards in the workplace	35
Table 3. NIOSH recommended safety and health standards for	
industries, processes, and work environments 1	36
Appendices	
I. Classes of Chemicals	38
II. Chemicals for Which NIOSH Adopted RELs During the OSHA PEL Project 14	49
III. Chemicals for Which NIOSH Did Not Adopt RELs During the OSHA PEL Project 1	54
IV. Chemicals for Which NIOSH Revised RELs During the OSHA PEL Project	56
V. Categories of Pesticides 10	
Subject Index	89
CAS Number Index	9 9

DEFINITIONS OF ABBREVIATIONS AND TERMS

ATSDR	Agency for Toxic Substances and Disease Registry
Ca	agent recommended by NIOSH to be treated as a potential occupational carcinogen
CAS	Chemical Abstracts Service
CDC	Centers for Disease Control
Ceiling	The exposure that shall not be exceeded during any part of the workday. If instantaneous monitoring is not feasible, the ceiling shall be assessed as a 15-min TWA exposure (unless otherwise specified) that shall not be exceeded at any time during a workday.
CFR	Code of Federal Regulations
CIB	Current Intelligence Bulletin
CNS	central nervous system
CPSC	Consumer Product Safety Commission
dBA	decibels measured on the A scale (which approximates the response of the human ear)
DHEW	U.S. Department of Health, Education, and Welfare
DHHS	U.S. Department of Health and Human Services
EPA	U.S. Environmental Protection Agency
fibers/cc	fibers of contaminant per cubic centimeter of air
J/cm ²	joules per square centimeter
LOQ	limit of quantitation
μg	microgram
μm	micrometer
mg/m ³	milligrams of contaminant per cubic meter of air

mppcf	millions of particles per cubic foot of air
MSHA	Mine Safety and Health Administration
mW/cm²	milliwatts per square centimeter
NEG	Nordic Expert Group for Documentation of Occupational Exposure Limits
NESHAP	National Emission Standards for Hazardous Air Pollutants
NIEHS	National Institute of Environmental Health Sciences
NIOSH	National Institute for Occupational Safety and Health
NIOH	National Institute of Occupational Health (Sweden)
nm	nanometer
No.	number
NTIS	National Technical Information Service
OSHA	Occupational Safety and Health Administration
PAHs	polycyclic aromatic hydrocarbons
PEL	permissible exposure limit (OSHA)
ррЬ	parts of contaminant per billion parts of air at 25°C and 1 atmosphere of pressure
ррт	parts of contaminant per million parts of air at 25°C and 1 atmosphere of pressure
REL	Recommended exposure limit. RELs are occupational exposure limits recommended by NIOSH as being protective of worker health and safety over a working lifetime. The REL is used in combination with engineering and work practice controls, exposure and medical monitoring, labeling, posting, worker training, and personal protective equipment. This limit is frequently expressed as a time-weighted average (TWA) exposure for up to 10 hr/day during a 40-hr workweek. The REL may also be expressed as (1) a short-term exposure limit (STEL) that should never be exceeded and is to be determined in a specified sampling time (usually 15 min), or (2) a ceiling limit that should never be exceeded even instantaneously unless specified over a given time period.
RTECS	Registry of Toxic Effects of Chemical Substances
Skin	The notation "skin" indicates that airborne or direct exposure by the cutaneous route (including mucous membranes and eyes) contributes to overall exposure.
STEL	Short-term exposure limit. Unless otherwise noted, the STEL is the 15-min TWA exposure that shall not be exceeded at any time during a workday.

TWATime-weighted average. Unless otherwise noted, TWA concentrations of a
contaminant are for up to a 10-hr workday during a 40-hr workweek.WLworking level

WLM working level month

ACKNOWLEDGMENTS

This document was prepared by the Division of Standards Development and Technology Transfer (DSDTT), Richard W. Niemeier, Ph.D., Director. Barbara L. Dames, DSDTT, developed this document. The contributions of other National Institute for Occupational Safety and Health (NIOSH) personnel are gratefully acknowledged: Heinz Ahlers; William D. Bennett; Nancy J. Bollinger; Mary E. Cassinelli; Clayton B. Doak; Peter M. Eller, Ph.D.; Jerome P. Flesch; Bryan D. Hardin, Ph.D.; G. Kent Hatfield, Ph.D.; Douglas L. Johnson; James H. Jones; Howard R. Ludwig; Diane Manning; Robert W. Mason, Ph.D.; Leela I. Murthy, Ph.D.; William H. Perry; Laurie A. Piacitelli; Laurence D. Reed; Leslie T. Stayner, Ph.D.; Doris V. Sweet; David M. Votaw; Joann A. Wess; John J. Whalen; and Ralph D. Zumwalde.

Ruth E. Grubbs and Anne C. Hamilton performed editorial review and coordinated production; Vanessa L. Becks and Susan R. Kaelin provided editorial assistance; and Judith G. Curless, Pamela S. Graydon, JoAnne B. Hamons, and Denise Hill formatted and typed the draft.

We also wish to thank the following former NIOSH employees for their contributions to this document: Robert M. Castellan, M.D.; Gail Cheney; and Vaneese Merrick. . . .

ı